



Arch. Stefano Boeri & OM/AR arch. - Ph. Paolo Rosselli

EQUITONE®

Fibre cement facade materials




EQUITONE fibre cement facade materials

When Ludwig Hatschek invented fibre cement in the late 19th century, he combined the basic elements of the earth: mineral materials, water, air and fire (heat) in a simple filtration process. Our mother company, Etex, has been manufacturing fibre cement materials since 1905. The most prestigious incarnation in this proud heritage of unique materials is the EQUITONE® facade material range. The Hatschek production process makes each panel unique with an individual fibre cement texture. Most EQUITONE facade materials are through-coloured with a raw, unfinished character.

In the 1950s leading architects such as Walter Gropius pioneered the use of coated fibre cement panels using the ventilated facade (rainscreen) system. Designer Willy Guhl created the famous "loop chair" from a single piece of fibre cement in 1954. This design still bears witness to the core qualities of the fibre cement base material: thin, light, durable and beautiful. In 1987, Herzog & De Meuron designed the Ricola storage building in Laufen using uncoated fibre cement panels. The resulting shutter facade, which is a reference to the cardboard boxes inside, inspired our company to start the industrial development of raw untreated fibre cement materials.

Today, EQUITONE materials offer a palette of possibilities. Leading architects of our time are exploring and transforming the EQUITONE materials in remarkable facade designs.



Giving material a second life

Our 2030 ambitions

At EQUITONE, we dedicate ourselves to reuse and recycle all our materials, giving them a second life. With your help, we want to take it one step further and rethink the way they are designed and used, reducing our natural resource consumption and cutting out waste.

Light-impact materials


Minimising their environmental footprint throughout their entire life cycle.

Zero waste to landfill

Keeping our materials in use and out of landfill.

Our 3 areas of focus:

How we want to go from long life and lightweight to light impact and circular by design.



Circular design

Designing our materials as a modular system that is easy to dismantle, repair and rebuild – making sure they can be reused and recycled over and over again.

Light-impact construction

Reducing our footprint across the value chain to create materials that are built to be light-impact.

Radical collaboration for lasting change

Breaking down industry silos to eliminate the total footprint of our materials – not just in production but throughout their entire life cycle.

The circular potential of fibre cement cladding

Made of water, Portland cement, cellulose and natural minerals, our materials are the perfect building blocks for a circular construction industry.



Recyclable



Low maintenance



Lightweight



Low material usage/m²



Durable (+50 years)



Modular



180 grad Architekten, Heerbrugg, Switzerland

Five compelling reasons to opt for EQUITONE rainscreen facade solutions

Discover why EQUITONE is your premier partner for innovative ventilated facade projects. From enduring durability to unmatched design flexibility, expert services, sustainability, and safety, each aspect reflects a commitment to responsible excellence, transforming your architectural aspirations into enduring realities.



Arch.: Astrid Bornheim, Berlin, Germany



Durability

Designed for strength and reliability, EQUITONE panels, seamlessly installed on the facade using a rear-ventilated curtain system, offer:

- > Over 50 years of longevity
- > Anti-graffiti protection*
- > Resistance to extreme temperatures and frost
- > Exceptional water resistance
- > Chemical resistance



Sustainability

EQUITONE takes the lead in environmental excellence, offering a sustainable framework that will contribute to the success of your future projects:

- > Cradle to Cradle Certified® Bronze**
- > 100% recyclable
- > Low material usage/m²
- > Modular design
- > Lightweight construction
- > Ease of disassembly
- > Low maintenance
- > No harmful gas emissions



Design flexibility

Empower your design journey with EQUITONE's flexible solutions:

- > Customizable sizes and shapes
- > Perforation, milling, and printing options
- > Customised prints***
- > Accommodating special applications, including curved walls, roofs, interiors, and brise soleil
- > Vertical, horizontal, or angled layouts
- > Random or staggered patterns



Expert services

Ease through your daily challenges at every stage of your architectural project with the expert services offered by EQUITONE:

- > Over 120 years of experience
- > Expert consultations available at every project stage
- > Access to online technical resources
- > BIM object support
- > Regular workshops with architects to enhance your experience



Safety

Experience peace of mind and unparalleled safety with EQUITONE, where every detail is crafted to meet and exceed the highest industry standards:

- > EN 13501 fire reaction standard at A2-s1,d0 level
- > EN 12467 Class 4 strength classification
- > No harmful gas emissions

* Applicable to: natura PRO, pictura and inspira.

** Applicable to: natura, natura PRO, tectiva, lunara, linea, textura, pictura.

*** Applicable to: inspira.

Empowering your creativity

**From the material's rawest
expression to your own inspiration,
your only limit
is your imagination.**


EQUITONE range begins with the grey and subtle authenticity of two natural fibre cement materials, Tectiva and Natura. It continues with progressive degrees of mechanical surface modifications in Linea and Lunara. (The Minerals)

Next, the Pictura, Coloura and Textura subsets bring a range of colours to your façade designs. (The Colourfuls)

Finally, the impressions of nature in the Inspira range and artistic graphical surfaces with designs created with architects for architects, offer you endless creative options. (The Graphicals)

The Minerals

Embrace natural and authentic elegance, explore our earthly mineral-tone panels



The Colourfuls

Awaken your facade: discover our vibrant palette for a colourful and original aesthetic



The Graphicals

Dive into a world of unlimited visual. Versatility with wood, rust, concrete, stone and nature-inspired graphic designs



The Minerals




EQUITONE [tectiva]


EQUITONE [tectiva] is a through-coloured facade material, characterised by a sanded surface. Every panel is unique, strongly expressing the raw texture of the core fibre cement material.

Touch: Fine sanding lines.
Visual: Dry, lively, dynamic, with naturally occurring hues within the material.

Thickness	Width	Lengths
8 mm	1220 mm	2500 - 3050 mm

AVAILABLE IN 9 COLOURS

		
TE85	TE90	TE30
		
TE20	TE00	TE40
		
TE15	TE10	TE60



JEMS Architekci, Warsaw, Poland



STUDIOWORKERS, José and Isabel Machado, Espinho, Portugal



ARKit

EQUITONE [natura]

EQUITONE [natura] is a through-coloured facade material. It has a sleek and refined surface with visible fibres randomly distributed throughout. Optional Natura PRO finish is also available with a graffiti protection and is particularly scratch-resistant.

Touch: Matt, silk, smooth surface finish.
Visual: Fibres distributed randomly like the Milky Way, refined, precious.

Thickness	Width	Lengths
8 - 12 mm	1250 mm	2500 - 3100 mm

AVAILABLE IN 27 COLOURS

THROUGH-COLOURED

N164	N161	N162	N163	N154	Ng61
N861	N891	N892	N294	N211	N281
N250	N251	N252	N073	N074	

SPECIAL COLOURS

N661	N662	N593	N594	N411	N412	Ng91	Ng72	N331	N359

Other colours available on request, subject to minimum order quantities.



Delugan & Meissl Architects



Spaces architects and urban planners gmbh,
Munich



foundation 5+ architekten BDA, Germany; Foitzik Krebs Spies Partnerschaft mbB;
SPRENGWERK, Architektur und Sanierung

EQUITONE [linea]

EQUITONE [linea] is a unique 3D shaped, through-coloured facade material that plays with light and shadow. It displays a linear texture that highlights the raw inner texture of the core fibre cement material.

Touch: Structured, relief, depth.

Visual: Different, playful, lots of possibilities, changes depending on the point of view.

Thickness	Width	Lengths
10 mm	1220 mm	2500 - 3050 mm

AVAILABLE IN 9 COLOURS

 LT85	 LT90	 LT30
 LT20	 LT00	 LT40
 LT15	 LT10	 LT60

LIGHT AND SHADOW

 8h00	 9h00	 10h00	 11h00	 12h00
---	---	--	---	--



Studio Weave, London



LAB5



Kęstutis Kisielius



Agence MW architectes D. P. L. G.



Santos-Gaia Arquitectos


EQUITONE [lunara]

EQUITONE [lunara] is a through-coloured fibre cement panel with a surface resembling a lunar landscape. Each panel is unique in terms of its colour, texture and surface, with a pattern that is not repeated.

Touch: Rough, unpolished fibre cement surface with delicate linen touch.
Visual: Expressive, natural, unique.

Thickness	Width	Lengths
10 mm	1220 mm	2500 - 3050 mm

AVAILABLE IN 2 COLOURS



LA20





LA60



Kirstine Roepstorff



una|a- Urban Nation Architects



CÉH Zrt., MATA-DÓR Architektúra kft. / Bánszky Szabolcs



The Colourfuls



ARTER Architects




EQUITONE [pictura]

EQUITONE [pictura] is a fibre cement facade material with an ultra matt architectural finish. Thousands of custom-matched matt project colours are available on request.

Touch: Smooth, matt, with anti-graffiti protection.
Visual: Classic, brings colourful accents in the facade.

Thickness	Width	Lengths
8 - 12 mm	1250 mm	2500 - 3100 mm

AVAILABLE IN 20 STANDARD COLOURS

				
PW141	PW841	PG542	PG842	PG641
				
PG243	PG843	PG546	PG545	PG544
				
PG241	PG844	PG444	PG443	PG442
				
PA041	PA944	PG342	PG341	PG742

Other colours on request, subject to minimum order quantities.



Jo Coenen



mvmaarchitekt + starkearchitektur, Köln



TKD Architects

EQUITONE [coloura]

EQUITONE [coloura] is a high-density fibre cement facade material with a coloured double layer PU-acrylic coating.

Touch: Smooth, hard, matt.
Visual: brings colourful accents in the façade.


Thickness	Width	Lengths
8 mm	1250 mm	2500 - 3100 mm



AVAILABLE IN 37 STANDARD COLOURS

FCM 900 White	FCM 906 Cream	FCM 907 Beige	FCM 928 Sand	FCM 908 Taupe	FCM 911 Lemon	FCM 923 Honey
FCM 912 Gold	FCM 933 Light brown	FCM 931 Carmel	FCM 926 Grey brown	FCM 909 Milk chocolate	FCM 929 Eggplant	FCM 914 Pistachio
FCM 915 Green pea	FCM 913 Olive	FCM 932 Umbra	FCM 916 Asparagus			

FCM 922 Mint	FCM 917 Blue azure	FCM 921 Plum	FCM 901 Light grey	FCM 902 Grey	FCM 903 Dark grey	FCM 910 Graphite
FCM 904 Anthracite	FCM 924 Onyx	FCM 905 Black	FCM 938 Ginger	FCM 925 Ugier	FCM 939 Succinite	FCM 937 Vermillion
FCM 934 Sea green	FCM 942 Beige grey	FCM 941 Iron grey	FCM 940 Quartz grey	FCM 936 Pumpkin		





EQUITONE [textura]

EQUITONE [textura] is a through-coloured fibre cement material, with a special coating featuring UV-resistant pigments that ensure vibrant colours permanently. The uniform surface guarantees a long-lasting clean look.

Touch: fine-grained surface.
Visual: satin, pearl effect.

Thickness	Width	Lengths
8 - 12 mm	1250mm	2500 - 3100 mm


AVAILABLE IN 20 STANDARD COLOURS

				
TA304	TA507	TA309	TA001	TT207
				
TA308	TA508	TA409	TA003	TG206
				
TG702	TG506	TG408	TT209	TG205
				
TG604	TG505	TG407	TT210	TG102

Other colours on request, subject to minimum order quantities.




HEP Architekten GmbH



Delugan Meissl Associated Architects, Wien

The Graphicals



EQUITONE [inspira]

Materic collection

EQUITONE [inspira] is a high-density fibre cement panel featuring a digitally printed surface coated with a UV-resistant finish. This material offers a durable, dirt-resistant finishing with high abrasion resistance and a permanent anti-graffiti surface.

Touch: smooth, hard, matt.
Visual: modern, elegant, with materic effect.

Thickness	Width	Lengths
8 mm	1250 mm	2500 - 3100 mm

Materic Collection is available in 4 different decors with Wood, Rust, Stone and Concrete effects.



Wood

				
FCW 157 C Natural alder	FCW 157 Classic oak	FCW 156 Rustic oak	FCW 127 White oak	FCW 125 B Carbon oak
				
FCW 125 Old oak	FCW 121 IB Light walnut	FCW 121 American walnut		


Rust

			
FCR 656 Vertical rust	FCR 535 Thick rust	FCR 484 Wild rust	FCR 454 Modern rust

Stone

				
FCS 548 Black marble	FCS 547 Cracked marble	FCS 530 Black stone	FCS 075 Silver calacatta	FCS 074 Gold calacatta
				
FCS 059 White calacatta	FCS 006 Beige travertine	FCS 004 Amber travertine		

Concrete

				
FCC 426 B Warm concrete	FCC 426 Bright concrete	FCC 320 Grey concrete	FCC 318 A Industrial black	FCC 025 Cracked plaster
				
FCC 318 Industrial brown	FCC 292 Silver concrete	FCC 020 B Dark rust	FCC 020 A Grey rust	FCC 437 Wild plaster



EQUITONE [inspira]

Artistic Collection



EQUITONE [inspira] is a high-density fibre cement panel featuring a digitally printed surface coated with a UV-resistant finish. This material offers a durable, dirt-resistant finishing with high abrasion resistance and a permanent anti-graffiti surface.

Touch: smooth, hard, matt.
Visual: modern, elegant, with artistic or customised graphics.

Thickness	Width	Lengths
8 mm	1250 mm	2500 - 3100 mm

Artistic Collection is available with bespoke decors and personalized prints on request. Thanks to a special digital printing technology, any kind of image, color, pattern or design (in high resolution) can be accurately reproduced on the panels.

Get inspired by this series of nature-inspired graphics created for EQUITONE by architects to realise your own customised design and create unique and original facades.




Dorota Szlachcic



EQUITONE®

Fibre cement facade materials



equitone.com

Follow @EQUITONE Export



Euro Panels Overseas N.V.

Bormstraat 24
2830 Tiselt - Belgium

info.europanel@etexgroup.com